

**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/089,950	08/07/2002	Christian Neubauer	SCHO0068	6932

7590  
Glenn Patent Group  
Suite L  
3475 Edison Way  
Menlo Park, CA 94025

01/05/2007

EXAMINER
----------

PIERRE, MYRIAM

ART UNIT	PAPER NUMBER
----------	--------------

2626

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/05/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

# Office Action Summary

Application No.

10/089,950

Applicant(s)

NEUBAUER ET AL.

Examiner

Myriam Pierre

Art Unit

2626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 11 December 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11 and 12-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Continued Examination Under 37 CFR 1.114*

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/11/06 has been entered.

### *Response to Arguments*

2. Applicant's arguments filed 12/11/06 have been fully considered but they are not persuasive.

Applicant argues that Kate et al., do not disclose the step of combining and that the processing using spread sequence is not shown in Kate and further argues that Kate do not combine spreading the bits based on spread spectrum modulation by combining the bits with the spread sequence. This argument is not persuasive because Kate teaches bit representation that is categorized and processed signals based on information to be added, and spread spectrums are used in telecommunications and Kate do teach applications that are applied to TV and recording, page 1099, right column. Therefore, Kate do teach combine spreading the bits based on spread spectrum modulation by combining the bits with the spread sequence.

Applicant argues that Kate et al. is silent on any spreading operation to be performed on the information or auxiliary signal. This argument is not persuasive. The information signal is video or audio, col. 5 lines 11-25. Therefore, Kate et al. do teach auxiliary signal.

Applicant argues that an incorrect conclusion is from all audio encoders quantize such that the noise energy is equal to the psychoacoustic masking threshold, examiner respectfully disagrees. The quantizer has a the purpose of saving space, and also, used in encoding during masking noise based on a certain threshold, so there is no assertion that the threshold is a predetermined amount that is determined by change. Applicant argues that the information on a noise energy is different from the masking threshold by the predetermined amount, examiner understands this, yet, Kate does produce an estimated subband, because these values are not random or guessed, but are based on calculations, thus inaudibility is guaranteed if the sound power level of the added signal is kept below the masking threshold; page 1097, left column, 2<sup>nd</sup>-4<sup>th</sup> paragraphs

***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1,2,4,8, and 10-11, 13-14, and 15-16 are rejected under 35 U.S.C. 102(b) as being anticipated by Kate et al., Digital Audio Carrying Extra Information (ICASSP vol. 2 IEEE-90).

As to claim 1, Kate teach

method for introducing information into a data stream including data about spectral values representing a short-term spectrum of an audio signal (col. 5 lines 11-25; source data is introduced as audio and/or video information), including:

processing the data stream to obtain the spectral values of the short-term spectrum of the audio signal (page 1097, right column, 1<sup>st</sup> paragraph);

combining the information with a spread sequence to obtain a spread information signal, wherein the information includes bits, and wherein the combining includes spreading the bits based on a spread spectrum modulation by combining the bits with the spread sequence (enable inaudible addition of extra information to an audio signal, Abstract and the spread sequence is applied to telecommunications, which is in the applications of television or radio, page 1099, left column, Applications, first paragraph);

generating a spectral representation of the spread information signal to obtain a spectral spread information signal (page 1097, right column, 1<sup>st</sup> paragraph);

establishing psychoacoustic maskable noise energy as a function of frequency for the short-term spectrum of the audio signal, wherein the psycho-acoustical maskable noise energy is smaller or the same as the psychoacoustic masking threshold of the short-term spectrum (inaudibility is guaranteed if the sound power level of the added signal is kept below the masking threshold; masking is most effective for frequency close to the frequency of the masking sound, masking is the psychoacoustic phenomenon which deals with the insensitivity of the human ear to sounds in the presence of other, page 1097, left column, 2<sup>nd</sup>-3<sup>rd</sup> paragraphs);

weighting the spectrum spread information signal by using the established noise energy to generate a weighted information signal, wherein the energy of the introduced information is below the psychoacoustic masking threshold (page 1097, left column, 2<sup>nd</sup>-4<sup>th</sup> paragraphs);

summing the weighted information signal with the spectral values of the short-term spectrum of the audio signal to obtain sum spectral values including the short-term spectrum of

Art Unit: 2626

the audio signal and the information (inaudibility is guaranteed if the sound power level of the added signal is kept below the masking threshold; page 1097, left column, 2<sup>nd</sup>-4<sup>th</sup> paragraphs);

processing the sum spectral values to obtain a processed data stream including the data about the spectral vales of the short-term spectrum of the audio signal and the information to be introduced (inaudibility is guaranteed if the sound power level of the added signal is kept below the masking threshold; masking is most effective for frequency close to the frequency of the masking sound, masking is the psychoacoustic phenomenon which deals with the insensitivity of the human ear to sounds in the presence of other, page 1097, left column, 2<sup>nd</sup>-4<sup>th</sup> paragraphs).

As to claim 2, which depends on claim 1, Kate et al. teach

wherein the data stream comprises quantized spectral values as data about spectral values, the step of processing of the inherent data stream including the following sub-steps (page 1098, left column, 2<sup>nd</sup> paragraph):

inverse quantizing the quantized spectral values to obtain the spectral values (Fig. 2 page 1100; inherent in the addition and retrieval); and

the step of processing the summed spectral values (page 1098, left column, 2<sup>nd</sup> paragraph) including:

quantizing the sum spectral value to obtain quantized sub-spectral values (subband signals are quantized, page 1098, left column, 2<sup>nd</sup> paragraph);

forming the processed data stream using the quantized sum spectral values (page 1098, left column, 2<sup>nd</sup>-4<sup>th</sup> paragraphs).

Art Unit: 2626

As to claim 4, which depends on claim 1, Kate et al. teach wherein the step of establishing the psychoacoustic maskable noise energy comprises: computing the psychoacoustic masking threshold as function of frequency using a psychoacoustic model, which is based on the spectral values of the audio signal (page 1097; left column; 2<sup>nd</sup>-3<sup>rd</sup> paragraphs).

As to claim 8, which depends on claim 1, Kate et al. teach wherein the spectral value of the data stream are quantized such that the noise energy introduced by quantized such that the noise energy introduced by quantizing is smaller than the psychoacoustic masking threshold by a predetermined amount and wherein, in the step of establishing an energy corresponding to the predetermined amount is established (page 1097; left column 2<sup>nd</sup> paragraph; and page 1098; left column; 1<sup>st</sup>-3<sup>rd</sup> paragraphs); and

wherein in the step of weighting the spectral values of the spectral representation of the spread information signal are set such that they have an energy corresponding to the predetermined amount ((page 1097; left column 2<sup>nd</sup> paragraph; and page 1098; right column).

As to claim 10, which depends on claim 1, Kate et al. teach wherein the step of processing the sum spectral values, in the same quantizing step sizes as in original data stream are used (page 1098; right column; paragraph 12; in order to retrieve the auxiliary signal from a received signal, quantize subbands, amplify signal to obtain ordinal signal, thus the same quantizing step sizes are used to obtain the original signal).

Claim 11 is directed toward a method of introducing information to implement or execute the method of claim 1, and is similar in scope and content of claim 1, therefore claim 11 is rejected under similar rationale.

Claim 13 is directed toward an apparatus of introducing information to implement or execute the method of claim 11, and is similar in scope and content of claim 11, therefore, claim 13 is rejected under similar rationale.

Claim 14 is directed toward an apparatus for encoding to implement or execute the method of claim 1, and is similar in scope and content of claim 1, therefore, claim 14 is rejected under similar rationale.

As to claim 15, which depends on claim 1, Kate et al. teach  
in which the spread sequence used in the step of combining is a pseudo noise spread sequence (page 1097 and page 1098; noise energy is measured via psychoacoustic masking, and scaling is performed via quantization process).

As to claim 16, which depends on claim 1, Kate et al. teach  
in which the step of combining is conducted so that for an information bit with a first logic level, the spread sequences is included unchanged into the spread information signal, and so that for an information bit with a second logic level, an inverse spread sequence is included into the spread information signal (page 1098 left column 1<sup>st</sup>-3<sup>rd</sup> paragraphs; the predetermined



amount is the estimated subband, the unchanged signal is reflected in the telecommunications application of television and radio and the inverse spectrum sequence is applied in separating the signal and in the process of addition and retrieval, as after the signal is retrieved, the inverse spectrum is applied, in Fig. 1-2 page 1100).

*Claim Rejections - 35 USC § 103*

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kate et al., Digital Audio Carrying Extra Information (ICASSP vol. 2 IEEE-90), in view of Chen et al. (6,300,888).

As to claim 3, which depends on claim 2, Kate et al. teach

quantized spectral values in the data stream (page 1098, left column, 2<sup>nd</sup> paragraph)

Kate et al. do not teach data streams are entropy encoded.

However, Chen et al. do teach

wherein the quantized spectral values in the data stream are entropy encoded (col. 9 lines 65-67 and col. 10 lines 1-52), the step of processing the data stream including the following sub-step:

entropy-decoding the entropy-encoded spectral values to obtain the quantized spectral values (col. 5 lines 59-67); and

Art Unit: 2626

the step of processing the sum spectral values (col. 9 lines 65-67 and col. 10 lines 1-52) including:

entropy-encoding the quantized sum spectral values (col. 5 lines 59-67 and col. 6 lines 58-65).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the audio coding for extra information of Kate et al. into the entropy coding and decoding of Chen et al., because Chen et al. teach that this would reduce the size of data to transmit or store, col. 1 lines 61-63.

7. Claims 5-7 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kate et al., , Digital Audio Carrying Extra Information (ICASSP VOL. 2 IEEE-90), in view of Fielder (5,623,577).

As to claim 5, which depends on claim 1, Kate et al. teach wherein a masking threshold used in generating the data stream as function of frequency for the short-term spectrum is present in the data stream, the step of establishing including: extracting the psychoacoustic masking threshold from the data stream, wherein the psychoacoustic maskable noise energy is the same as the psychoacoustic masking threshold (page 1097; left column 2<sup>nd</sup> paragraph; and page 1098; left column; 1<sup>st</sup>-3<sup>rd</sup> paragraphs).

Kate et al. does not teach side information.

However, Fielder does teach side information (col. 3 lines 1-4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the digital coding of extra information of Kate et al. into the side

Art Unit: 2626

information of Fielder, because Fielder teaches that this would permit accurate de-quantization, col. 3 lines 1-5.

As to claim 6, which depends on claim 1, Kate et al. teach

wherein the data stream further comprises scale factors by which the spectral values will be multiplied in groups in an audio encoder prior to quantizing, the step of processing the data stream (page 1098; left column; 1<sup>st</sup>-3<sup>rd</sup> paragraphs) further including the following sub-steps:

extracting the scale factors from the data stream (page 1098; 1<sup>st</sup>-3<sup>rd</sup> and 12<sup>th</sup> paragraphs);  
and

the step of establishing including:

computing the noise energy introduced into the audio encoder when quantizing as function of frequency by using the scale factors for the short-term spectrum and by using the spectral values as well as knowing a quantizer used in the audio encoder, the introduced noise energy being a measure for the psychoacoustic noise energy used in weighting (page 1097; left column 1<sup>st</sup> paragraph; and page 1098; 1<sup>st</sup>-3<sup>rd</sup> and 12<sup>th</sup> paragraphs).

Kate et al. does not teach side information.

However, Fielder does teach side information (col. 3 lines 1-4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the digital coding of extra information of Kate et al. into the side information of Fielder, because Fielder teaches that side information provides adjustments to the basic allocation values as necessary to obtain the same allocation values used in the encoder, in this way, the allocation function in an encoder maybe be changes without losing compatibility

Art Unit: 2626

with existing decoders, and the compatibility between encoder and decoder is reduced, col. 7 lines 1-7.

As to claim 7, which depends on claim 6, Kate et al. teach wherein the data stream is formed according to ISO/IEC 13818-7 (MPEG-2 AAC) and the step of estimating the noise energy comprises:

- establishing a quantizing step for the spectral factor associated with this scale factor band (page 1097; left column 1<sup>st</sup> paragraph; and page 1098; 1<sup>st</sup>-3<sup>rd</sup> and 12<sup>th</sup> paragraphs);
- evaluating the following formula to obtain the noise energy for the scale factor band introduced by quantizing,

wherein  $x_i$  is the  $i$ -th spectral line in a scale factor band,  $QS$  is the quantizing step for this scale factor band and  $x_{min}$  is the noise energy introduced in the scale factor band by quantizing (page 1097 and page 1098);

the step of weighting including:

- setting the spectral values of the spectral representation of the spread information signal in the scale factor band such that the total energy of the set spectral values is the same as the noise energy in this scale factor band obtained in the step of evaluation (page 1097 and page 1098; noise energy is measured via psychoacoustic masking, and scaling is performed via quantization process).

As to claim 9, which depends on claim 1, Kate et al. teach

wherein the value of the predetermined amount is presented as information in the data stream, in the step of establishing the value for the predetermined amount will be extracted from the data stream (col. 3 lines 1-4).

Kate et al. does not teach side information.

However, Fielder does teach side information (col. 3 lines 1-4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the digital coding of extra information of Kate et al. into the side information of Fielder, because Fielder teaches that this would allow an allocation function to establish allocation values and explicitly pass these allocation values as "side information" to a decoder, col. 3 lines 1-5.

### *Conclusion*


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Myriam Pierre whose telephone number is 571-272-7611. The examiner can normally be reached on 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on 571-272-7602. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Myriam Pierre MP  
Art Unit 2626  
12/28/06

  
**ANGELA ARMSTRONG**  
**PRIMARY EXAMINER**